

# Palmerston North City Council

## Notable Tree Survey March and April 2011

<b>Address</b>	47 Te Awe Awe Street	
<b>Tree name</b>	Oak ( <i>Quercus robur</i> )	
<b>Location of the tree on the site</b>	At the end of a RoW, close to the boundary	
<b>Owner's name</b>		
<b>Date of STEM Assessment</b>	28 March 2011	<b>Inspected by</b> John Wakeling

### Dimensions

Height m: 25	Girth @ 1.4m: 5.67	Spread m: 31
--------------	--------------------	--------------

### Condition Evaluation

Points	3	9	15	21	27	Score
<b>Form</b>	Poor	Moderate	Good	Very Good	Specimen	27
<b>Occurrence</b>	Predominant	Common	Infrequent	Rare	Very Rare	9
<b>Vigour &amp; Vitality</b>	Poor	Some	Good	Very Good	Excellent	21
<b>Function</b>	Minor	Useful	Important	Significant	Major	9
<b>Age (years)</b>	10+	20+	40+	80+	100+	27
<b>Stature (m)</b>	3-8m	9 - 14m	15 - 20m	21 - 26	27+	21
<b>Subtotal</b>						114

### Amenity Evaluation

Points	3	9	15	21	27	Score
<b>Public Accessibility</b>	Private	Visible from Road	Front Yard	Semi Public	Public (free access)	9
<b>Visibility</b>	No view	Visible from local road	Visible from collector rd	Visible from principal rd	Visible from arterial rd	21
<b>Proximity</b>	Forest	Parkland	Group of 10+	Group of 3+	Solitary	21
<b>Role</b>	Minor	Moderate	Important	Significant	Major	21
<b>Effect on Climate</b>	Minor	Moderate	Important	Significant	Major	15
<b>Subtotal</b>						87

### Notable Evaluation

Recognition Points	3	9	15	21	27	Score
<b>Stature</b>						
Feature	Local	District	Regional	National	International	
Form	Local	District	Regional	National	International	
<b>Historic</b>						
Age 100+	Local	District	Regional	National	International	
Association	Local	District	Regional	National	International	
Commemoration	Local	District	Regional	National	International	
Remnant	Local	District	Regional	National	International	
Relict	Local	District	Regional	National	International	
<b>Scientific</b>						
Source	Local	District	Regional	National	International	
Rarity	Local	District	Regional	National	International	
Endangered	Local	District	Regional	National	International	
<b>Subtotal</b>						3

### Total Points

**210**

## Inspection Report

<b>Requested for/by</b>	Routine	Storm Damage	Owner	Developer	DP Review	
<b>Pruning History</b>	Darryl Judd does the work on this tree. Excellent standard					
<b>Built Environment</b>	Small tight dev'pment	Standard suburban	Large house and grounds	Other (describe)		
<b>Garden environment</b>	Solo tree	Few trees	Many trees	Mainly exotic/native		
<b>Local Environment</b>	Few trees	Some trees	Well treed neighbourhood			
<b>Age Class</b>	young	Semi mature	Mature	Post mature		
<b>Special value</b>	Horticultural	Landscape	Specimen	Historical	Botanical	
<b>Structural Character</b>	Single leader	Double leader	Multi-stemmed	Included bark unions	Typical	Atypical
<b>Form</b>	Refer to STEM score sheet					
<b>Crown Shape</b>	Super-typical !	Atypical	Wide/spreading/low crown	Influenced by wind	Affected by other trees	
<b>Foliage Health</b>	Good	Poor, if so, explain	One or two suspicious twig deaths in outer crown – may be nothing			
<b>Limb Structure</b>	Typical or sound	Atypical, if so, explain				
<b>Trunk character</b>	Quite short, immense girth, well buttressed					
<b>Root Zone</b>	Garden	Natural	Lawn/paddock	U/g services apparent?	Pervious driveway and mulced bed	
<b>Comments</b>						

## Maintenance Required

Category	Priority	Recommended Action	Timing (from April 2011)	Actioned	Completed
<b>Amenity</b>	routine	The owners will be applying to reduce the crown over the house the next time they prune the tree. Deadwood	Within the next 2 years thereafter 5 yearly		
<b>Health</b>	-				
<b>Safety</b>	-				
<b>Overhanging b'dry</b>	routine	This is undertaken every few years			

### Standard procedures

Deadwood – crown lift – reduced crown width – thin crown – height reduction (not rec'ded for notable trees) - other

### Special Measures and recommendations

Mulch base – irrigate – improve drainage – underplant – cable brace - other

### Timeline

Now - 5 years - 5 yearly - As required

<b>Changes noticed in last five years</b>	Die-back in two outer branches – not serious, I hope.
---	---

## Photographs.



Figure 1, the crown overhangs the neighbour's shed




Figure 2, a statement at the end of the driveway



Figure 3, the trunk



Figure 4, the trunk and lower crown



Figure 5, OBT